

TECHNICAL DATA

Catalys® Chain Oil

DESCRIPTION

Catalys chain saw oils are made from quality paraffinic mineral oil. They contain additives which prevent oxidation and the formation of rust whatever the environment; protect mechanical components against premature wear and breakage and prevent being ejected from the chains by adhering to them. These oils are tinted red to distinguish them from other lubricants and to see their presence on the chains. They are available in heavy, regular, and light grades.

APPLICATION / BENEFITS

Catalys Chain Oils provide exceptional performance on power saw chains and bars. Their adhesion makes them suitable for equipment requiring a non-drip lubricant, including conveyor gears and chains, recreational vehicle drives and household maintenance equipment. They can be applied by automatic dripping system or manually.

PHYSICAL PROPERTIES	Chain Oil Heavy	Chain Oil Regular	Chain Oil Light	
Color	Red	Red	Red	
Kinematic Viscosity at 40°C, cSt	100	68	42	
Density at 15°C, kg/L	0,880	0,870	0,854	
Flash Point, °C	210	200	190	
Pour Point, °C	-18	-27	-33	

The values listed above are typical of current production, variations in these properties may occur.

AVAILABLE PACK SIZES

	Bulk	Tote	Drum	4 X 3.78L
Catalys Chain Oil Heavy	07-2010-00	07-2010-04	07-2010-05	07-2010-32
Catalys Chain Oil Regular	07-2008-00	07-2008-04	07-2008-05	07-2008-32
Catalys Chain Oil Light	07-2005-00	07-2005-04	07-2008-05	07-2008-32

THE PACK SIZES ABOVE ARE OUR STANDARD PACK SIZES. PLEASE COMMUNICATE WITH US TO FIND OUT FORMATS AVAILABLE LOCALLY.

HEALTH/SAFETY

GHS compliant English and French Safety Data Sheets are available at catalyslubricants.ca under 'Safety Data Sheets'. Keep container closed when not in use. Please refer to the SDS for safe handling information. Always take used oil and containers to an authorized collection point. Avoid discharge into the environment. As with any oil, keep out of reach of children and animals.

QUALITY

Catalys Lubricants partners with respected industry suppliers to bring you high quality products. For more information, contact your local Catalys Representative. Please ensure this product is right for the equipment by following the recommendations of the equipment operating manual.

CONTACT US

British Columbia	Alberta	Manitoba	Ontario	Quebec
7483 Progress Way	Unit 130, 16815 117 th Ave NW	25 Midland Street	3462 White Oak Road	2320, rue de la Métropole
Delta, BC	Edmonton, AB	Winnipeg, MB	London, ON	Longueuil, QC
V4G 1E7	T5M 3V6	R3E 3J6	N6E 2Z9	J4G 1E6
855.946.4226	877.222.8507	855.755.6737	800.673.6231	800.363.0590

Catalys® is a registered trademark of Entreprises Émile Crevier Inc.

CATALYS LUBRICANTS INC. 2320, rue de la Métropole, Longueuil QC J4G 1E6 Catalys Chain Oil

Issue date: 10-19-23 Revision date: 10-19-2023 Revision No: Page 1 of 1